

DERWENT PARK DUAL SWINGING GATE



FRAME

- 50 x 50 x 2mm SHS Frame for Gates ≤ 3000mm
- 50 x 50 x 3mm SHS Frame for > 3000mm

Mitred Corners

DESIGN

CHS (1.2mm) Vertical Tubes / 110mm Tube Centres

MATERIALS

Galv Steel

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: **DERWENT PARK**DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



WEST COAST - DUAL SWINGING GATE



- 50 x 50 x 2mm SHS Frame for Gates ≤ 3000mm
- 50 x 50 x 3mm SHS Frame for > 3000mm

Mitred Corners

DESIGN

CHS (1.2mm) Vertical Tubes / 110mm Tube Centres

MATERIALS


Galv Steel

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: WEST COAST

DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



WELLINGTON DUAL SWINGING GATE



FRAME

- 40 x 40 x 2mm SHS Frame for Gates ≤ 3000mm
- 40 x 40 x 3mm SHS Frame for > 3000mm

Mitred Corners

DESIGN

16mm CHS (1.2mm) Vertical Tubes 100mm Tube Centres

MATERIALS


6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

PATTERN MAY VARY DEPENDING ON GATE WIDTH

TITLE: **WELLINGTON**DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



BAY OF FIRES DUAL SWINGING GATE



FRAME

- 40 x 40 x 2mm SHS Frame for Gates ≤ 3000mm
- 40 x 40 x 3mm SHS Frame for > 3000mm

Mitred Corners

DESIGN

16mm CHS (1.2mm) Vertical Tubes 100mm Tube Centres

Doggy Bars @ 50mm Tube Centres

MATERIALS


6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

PATTERN MAY VARY DEPENDING ON GATE WIDTH

TITLE: **BAY OF FIRES**DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



CRADLE MOUNTAIN DUAL SWINGING GATE



FRAME

- 40 x 40 x 2mm SHS Frame for Gates ≤ 3000mm
- 40 x 40 x 3mm SHS Frame for > 3000mm

Mitred Corners

DESIGN

16mm CHS (1.2mm) Vertical Tubes 100mm Tube Centres

Fleur De Lys 'J' Male Spear

Doggy Bars @ 50mm Tube Centres

MATERIALS

6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: **CRADLE MOUNTAIN**DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au

- 40 x 40 x 2mm SHS Frame for Gates ≤ 3000mm
- 40 x 40 x 3mm SHS Frame for > 3000mm

Mitred Corners

DESIGN

16mm CHS (1.2mm) Vertical Tubes

100mm Tube Centres

Note: Internal Frame stiles extend 250mm past top edge of Frame

MATERIALS

6063 T6 Aluminium


All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: RICHMOND


DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au

irdsgroup.com.au// (03) 6272 0494



RICHMOND DUAL SWINGING GATE



TAMAR VALLEY DUAL SWINGING GATE



FRAME

- 40 x 40 x 2mm SHS Frame for Gates ≤ 3000mm
- 40 x 40 x 3mm SHS Frame for > 3000mm

Mitred Corners

DESIGN

16mm CHS (1.2mm) Vertical Tubes

100mm Tube Centres

83 x 8mm Round S Scroll

83 x 8mm Round Ring


MATERIALS

6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: **TAMAR VALLEY**DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



KINGSTON DUAL SWINGING GATE



FRAME

- 40 x 40 x 2mm SHS Frame for Gates ≤ 3000mm
- 40 x 40 x 3mm SHS Frame for > 3000mm

Mitred Corners

DESIGN

Standard curve height is 300mm rise
Gate height is measured to top of spears
16mm CHS (1.2mm) Vertical Tubes
100mm Tube Centres
Fleur De Lys 'J' Male Spear
83mm Flat Ring

MATERIALS


6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

PATTERN MAY VARY DEPENDING ON GATE WIDTH

TITLE: **KINGSTON**DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



PORT ARTHUR DUAL SWINGING GATE



FRAME

- 40 x 40 x 2mm SHS Frame for Gates ≤ 3000mm
- 40 x 40 x 3mm SHS Frame for > 3000mm

Mitred Corners

DESIGN

Standard curve height is 300mm rise
Gate height is measured to top of curve
16mm CHS (1.2mm) Vertical Tubes
100mm Tube Centres

MATERIALS


6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

PATTERN MAY VARY DEPENDING ON GATE WIDTH

TITLE: **PORT ARTHUR**DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



STRAHAN DUAL SWINGING GATE



FRAME

- 40 x 40 x 2mm SHS Frame for Gates ≤ 3000mm
- 40 x 40 x 3mm SHS Frame for > 3000mm

Mitred Corners

DESIGN

Standard curve height is 300mm rise
Gate height is measured to top of curve
16mm CHS (1.2mm) Vertical Tubes
100mm Tube Centres
Doggy Bars @ 50mm Tube Centres
83mm Flat Rings

MATERIALS

6063 T6 Aluminium


All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

PATTERN MAY VARY DEPENDING ON GATE WIDTH

TITLE: STRAHAN

DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



BRUNY ISLAND DUAL SWINGING GATE



FRAME

40 x 40 x 3mm SHS Frame Mitred Corners

DESIGN

65 x 16mm Slats 20mm Spacings

MATERIALS

6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: **BRUNY ISLAND**DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



RUSSELL FALLS DUAL SWINGING GATE



FRAME

- 40 x 40 x 2mm SHS Frame for Gates ≤ 3000mm
- 40 x 40 x 3mm SHS Frame for > 3000mm

Mitred Corners

DESIGN

38 x 16mm Slats

Slats attached using 20 x 20mm U Channel

20mm Spacings

MATERIALS

6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: RUSSELL FALLS
DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



SNUG FALLS DUAL SWINGING GATE

Please specify which Slat profile you require when ordering



FRAME

- 40 x 40 x 2mm SHS Frame for Gates ≤ 3000mm
- 40 x 40 x 3mm SHS Frame for > 3000mm

Mitred Corners

DESIGN

65 x 16mm Slats

90 x 16mm Slats

Please specify which Slat profile you require when ordering

Slats attached using 20 x 20mm

U Channel

20mm Spacings

MATERIALS


6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: SNUG FALLS

DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



MOUNT FIELD DUAL SWINGING GATE



FRAME

40 x 40 x 3mm SHS Frame Mitred Corners

DESIGN

Slats

- 65 x 16mm Slats
- 38 x 16mm Slats
- 90 x 16mm Slats

20mm Spacings

MATERIALS


6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: MOUNT FIELD

DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



KING ISLAND DUAL SWINGING GATE



FRAME

- 40 x 40 x 2mm SHS Frame for Gates ≤ 3000mm
- 40 x 40 x 3mm SHS Frame for > 3000mm

Mitred Corners

DESIGN

olats

- 90 x 16mm Slats
- 65 x 16mm Slats
- 38 x 16mm Slats

Slats attached using 20 x 20mm U Channel

20mm Spacings

MATERIALS


6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

 $\label{title: KING ISLAND} \mbox{TITLE: } \mbox{KING ISLAND}$

DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



DEVONPORT DUAL SWINGING GATE



FRAME

40 x 40 x 3mm SHS Frame Mitred Corners

DESIGN

65 x 16mm Slats welded on edge 65mm Slat Centres (49mm Gaps) Caps supplied for the top of slats only

• Optional colour matching cast caps available for a surcharge

MATERIALS


6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: DEVONPORT

DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au





40 x 40 x 3mm SHS Frame Mitred Corners

DESIGN

65 x 16mm Slats welded on edge 65mm Slat Centres (49mm Gaps) Caps supplied for the top of slats only

• Optional colour matching cast caps available for a surcharge


MATERIALS

6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: **DEVONPORT**DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



PRIMROSE SANDS DUAL SWINGING GATE



FRAME

40 x 40 x 3mm SHS Frame Mitred Corners

DESIGN

40 x 40 x 3mm Angle 50mm Gaps


MATERIALS

6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: **PRIMROSE SANDS**DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au





HOBART DUAL SWINGING GATE



FRAME

40 x 40 x 3mm SHS Frame Mitred Corners

DESIGN

40 x 40 x 3mm Angle 50mm Gaps

MATERIALS


6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: HOBART

DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au





40 x 40 x 3mm SHS Frame Mitred Corners

DESIGN

40 x 40 x 3mm Angle 50mm Gaps

MATERIALS


6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: HOBART

DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



MARIA ISLAND DUAL SWINGING GATE



FRAME

40 x 40 x 3mm SHS Frame Mitred Corners

DESIGN

Slate

- 50 x 25 x 3mm Angle
- 25 x 25 x 3mm Angle

50mm Gaps


MATERIALS

6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: MARIA ISLAND
DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au






All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



HUON VALLEY DUAL SWINGING GATE



FRAME

40 x 40 x 3mm SHS Frame Mitred Corners

DESIGN

65 x 16mm Slats 20mm Gaps


MATERIALS

6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: **HUON VALLEY**DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



BICHENO DUAL SWINGING GATE



FRAME

40 x 40 x 3mm SHS Frame Mitred Corners

DESIGN

Slats

- 65 x 16mm Slat
- 90 x 16mm Slat
- 40 x 16mm Slat

20mm Gaps

Welded Caps on top of Slats only (not cast)

MATERIALS


6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: BICHENO

DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au





40 x 40 x 3mm SHS Frame Mitred Corners

DESIGN

Slats

- 65 x 16mm Slat
- 90 x 16mm Slat
- 40 x 16mm Slat

20mm Gaps

Welded Caps on top of Slats only (not cast)

MATERIALS


6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: BICHENO

DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



WINE GLASS BAY DUAL SWINGING GATE



FRAME

40 x 40 x 3mm SHS Frame Mitred Corners

DESIGN

 $50 \times 25 \times 1.6$ mm Baluster 65×16 mm Slats

65mm Slat Centres

Plastic caps supplied for the top of slats only


MATERIALS

6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: **WINE GLASS BAY**DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au





40 x 40 x 3mm SHS Frame Mitred Corners

DESIGN

50 x 25 x 1.6mm Baluster 65 x 16mm Slats

65mm Slat Centres

Plastic caps supplied for the top of slats only


MATERIALS

6063 T6 Aluminium


All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range


TITLE: WINE GLASS BAY
DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au



LAUNCESTON DUAL SWINGING GATE





100 x 20 x 1.8mm ELLIPTICAL SLAT with Centre Support Gusset

50 X 50MM CNC EXTRUSION DETAIL



FRAME

50 x 50 x 3mm SHS Frame Mitred Corners

DESIGN

100 x 20 x 1.8mm Aluminium Elliptical Slat

- Slat are rotated 75° and slightly overlapped to create the louvred style
- Slats are welded into Frame

CNC Routed Centre Back Strap Support for panels over 1500mm wide

Raking is not possible with louvred products

MATERIALS

6063 T6 Aluminium

All of our Dual Swinging Gates are available in the Interpon Powder Coating Colour Range

TITLE: **LAUNCESTON**DUAL SWINGING GATE

CONTACT: admin@irdsgroup.com.au